



RAP

Energy solutions
for a changing world

Addressing the Throughput Incentive and Digging into Decoupling

Pennsylvania PUC En Banc Session
in Docket M-2015-2518883
Harrisburg PA

Presented by Richard Sedano

March 3, 2016

The Regulatory Assistance Project

50 State Street, Suite 3
Montpelier, VT 05602

Phone: 802-223-8199
www.raponline.org

This Presentation

- Basics of decoupling
 - Why states do it
 - The Calculations
 - Design Principles

If the answer is decoupling, what is the question?

- Traditional regulation motivates a utility
 - to increase sales, and
 - to resist reducing sales
 - This is the **‘throughput incentive’**

Is there something wrong with the throughput incentive?

- There are many reasons why utility sales might go up or down, but **what should the utility motivation be?**
 - Aligning with the public interest
 - An aggressive EERS is likely to be in conflict with the throughput incentive

At a high level, what does decoupling do?


- Decoupling is a regulatory mechanism
 - to ensure that utilities have a reasonable opportunity
 - to collect roughly the same revenues that they would under conventional regulation,
 - independent of changes in sales volume **for which the regulator wants them to be indifferent.**

What does decoupling do?

- Adjusts **rates (prices)** and usually revenues between rate cases
- Relies on found **revenue requirement**
- When sales deviate from rate case assumption, **rate** is adjusted to collect calculated **revenue**
 - Basis can reflect changes owing to trends or forecasted events, an added level of complexity

A well-designed decoupling mechanism provides predictable revenue independent of sales

**Traditional Regulation:
Constant Price =
Fluctuating Revenues/Bills**



$$\text{Revenues} = \text{Price} * \text{Sales}$$

**Decoupling:
Precise Revenue Recovery =
Fluctuating Prices**




$$\text{Price} = \text{Target Revenue} \div \text{Sales}$$

Comparing Decoupling with Traditional Regulation

- Traditional regulation sets **prices** and lets **revenues** rise and fall with sales volumes


A well-designed decoupling mechanism provides predictable revenue independent of sales

Traditional Regulation:
Constant Price =
Fluctuating Revenues/Bills



$$\text{Revenues} = \text{Price} * \text{Sales}$$

Decoupling:
Precise Revenue Recovery =
Fluctuating Prices



$$\text{Price} = \text{Target Revenue} \div \text{Sales}$$

The Decoupling Calculation

- **Utility Target Revenue Requirement** determined with traditional rate case
 - By class & by month (or other period coinciding with how often decoupling adjustment is made)
- Each future period *will have* different *actual* unit sales than Test Year
- The difference (positive or negative) is flowed through to customers by adjusting **Price** for that period (see Post Rate Case Calculation)

Periodic Decoupling Calculation	
From the Rate Case	
Target Revenues	\$10,000,000
Test Year Unit Sales	100,000,000
Price	\$ 0.10000
Post Rate Case Calculation	
Actual Unit Sales	99,500,000
Required Total Price	\$ 0.1005025
Decoupling Price	\$ 0.0005025

No change in target revenue

The Revenue per Customer Decoupling Calculation

- In any post-rate case period, the Target **Revenue** for any given volumetric **price** (i.e. demand charge or energy rate) is derived by multiplying the RPC value from the rate case by the then-current number of customers

Periodic Decoupling Calculation	
From the Rate Case	
Target Revenues	\$10,000,000
Test Year Unit Sales	100,000,000
Price	\$ 0.10000
Number of Customers	200,000
Revenue Per Customer (RPC)	\$50.00
Post Rate Case Calculation	
Number of Customers	200,500
Target Revenues (\$50 X 200,500)	10,025,000
Actual Unit Sales	99,750,000
Required Total Price	\$ 0.1005013
Decoupling Price "Adjustment"	\$ 0.0005013

Effect of Decoupling on Rate Design

Decoupling and Rate Design

- Rate design is getting increased attention for the price signals sent to customers
 - Align price signals to public policy
 - Decoupling does nothing to interfere with price signal or allocation objectives, public policy orientation is consistent

How Changes in Sales Affect Earnings

% Change in Sales	Revenue Change		Impact on Earnings		
	Pre-tax	After-tax	Net Earnings	% Change	Actual ROE
5.00%	\$9,047,538	\$5,880,900	\$15,780,900	59.40%	17.53%
4.00%	\$7,238,031	\$4,704,720	\$14,604,720	47.52%	16.23%
3.00%	\$5,428,523	\$3,528,540	\$13,428,540	35.64%	14.92%
2.00%	\$3,619,015	\$2,352,360	\$12,252,360	23.76%	13.61%
1.00%	\$1,809,508	\$1,176,180	\$11,076,180	11.88%	12.31%
0.00%	\$0	\$0	\$9,900,000	0.00%	11.00%
-1.00%	-\$1,809,508	-\$1,176,180	\$8,723,820	-11.88%	9.69%
-2.00%	-\$3,619,015	-\$2,352,360	\$7,547,640	-23.76%	8.39%
-3.00%	-\$5,428,523	-\$3,528,540	\$6,371,460	-35.64%	7.08%
-4.00%	-\$7,238,031	-\$4,704,720	\$5,195,280	-47.52%	5.77%
-5.00%	-\$9,047,538	-\$5,880,900	\$4,019,100	-59.40%	4.47%

Decoupling Advantages

- RPC simple to administer, customizable
- Stabilizes utility **revenues**
- Utility focuses on costs it can control,
- Removes utility throughput incentive
 - Accommodating aggressive EE
 - Maintaining rate design as price signal
 - Focus on Policy Priorities? Service?
- Delay general rate case (and associated attention and expense) to when driven by underlying cost shifts (not by usage changes)
- Process ought to reveal priorities

Decoupling Downsides

- **Rates** change more frequently (generally < power cost adjustment riders) and outside a general rate case
- Great success with EE and DG will increase **rates**, even as total costs may ↓↓
 - Note that EE participants tend to save far more than **rates** tend to rise
- PUC, others unfamiliar with decoupling
- Delays rate cases, which can be illuminating

How does decoupling differ from conventional regulation?

- Conventional Reg.
 - Set **rates** based on cost, and let the **revenues** flow as sales volumes change between rate cases.
- Decoupling
 - Set **revenues** based on cost, and let the **rates** flow as sales volumes change between rate cases.

Decoupling comes in various colors



Decoupling Choices

Regulators are Asked to Make

- Apply to non-power costs or all costs?
- Frequency of rate adjustments?
- Limits on rate adjustments, disposition of deferrals
- Assessing the risk of the firm, WACC, what to do?
- Factor in weather?
- RPC, attrition, both?
- Include industrial customers?
- Trigger for next mechanism?
- Overlay performance?
- What to do with earnings above and below target ROE?
- Other public interest progress

Some proposals to solve our problem are **not** decoupling



Decoupling is Not . . .

- Straight fixed variable rate design
 - Shifting all short run fixed costs to the customer charge
 - Volumetric rates fall below long run marginal cost

Decoupling is Not . . .

- A lost revenue adjustment mechanism
 - That identifies revenues lost specifically due to consumer funded energy efficiency programs and restores that revenue
 - Throughput incentive remains strong

Decoupling Choices

Public Process is Important

- Making these choices in a public, **transparent** process helps to promote a **common** understanding, that **priorities** are built in, that there is **value** in moving from traditional regulation

Communicating with Customers

- Answer: why are my **rates** changing?
 - With relevant policy context and trends
 - Transparency makes for clear messages
- How is decoupling changing utility priorities and decisions?
- How is utility performance?
 - Hopefully good news
- What do customers want (for future)?
- Is there **coherence with policy goals**?

How does the “Utility of the Future” happen?

- **Service** (not throughput) the priority
- **Customers:** service and resources
- Public Policy - driven
- Risk Management to manage cost
- Regulation focuses on value

- How can decoupling assist?

Oregon PUC Order 09-020 pg 27

“... PGE does have the ability to influence individual customers through direct contacts and referrals to the ETO. PGE is also able to affect usage in other ways, including how aggressively it pursues distributed generation and on-site solar installations; whether it supports improvements to building codes; or whether it provides timely, useful information to customers on energy efficiency programs. We expect energy efficiency and on-site power generation will have an increasing role in meeting energy needs, underscoring the need for appropriate incentives for PGE.”

About RAP

The Regulatory Assistance Project (RAP) is a global, non-profit team of experts that focuses on the long-term economic and environmental sustainability of the power and natural gas sectors. RAP has deep expertise in regulatory and market policies that:

- Promote economic efficiency
- Protect the environment
- Ensure system reliability
- Allocate system benefits fairly among all consumers

Learn more about RAP at www.raonline.org

rsedano@raonline.org



The Regulatory Assistance Project

Beijing, China • Berlin, Germany • Brussels, Belgium • **Montpelier, Vermont USA** • New Delhi, India
50 State Street, Suite 3 • Montpelier, VT 05602 • *phone:* +1 802-223-8199 • *fax:* +1 802-223-8172

www.raonline.org